MELBOURNE HIGH SCHOOL CONCUSSION POLICY



Help for non-English speakers

If you need help to understand the information in this policy please contact the school on 98260711

PURPOSE

To ensure that Melbourne High School provides propriate support to students with health care needs.

OBJECTIVE

To explain to Melbourne High School parents, staff and students the processes and procedures in , are diagnosed with a concussion and

arents/carers

POLICY

The Melbourne High School concussion policity developed to address the impact of concussion on students. Contact sports such as Rugby, AFL, Soccer, Futsal and Hackey use concussions People can sustain concussion utside of sportse.g.a bang on the head from falling over, or from a sudden and vigorous novement of the head such as a whiplash injury from a car accident.

Thebrain is a s8.1 (f.0- D5 (a5)2.35n)-0.4 ()108.

- x Concussion causes a disturbance in brain function
- x Children and adolescents are more susceptible to concussion, take longer to recover, have more significant memory and mental processited icits
- x Concussion usually follows a head collision, however can occur with a collision to other parts of the bodye.g.shoulder or neck
- x Symptoms can come on at any time, but usually within 424 hours after a collision
- x Concussion can occur withoupersonbeing knockedout, or lcur fd1-8.9 ()-10.4 (w]TJ -0 (n)]TJ 0 Tc 0 Tw (

Loss of consciousness or unresponsiveness

Visual problems

What team did you play last

- x Repeated vomiting (i.e. more than once)
- x Severe or unusual neck pain

This applies to students being assessed in The Health Centre

Step 5: Rest

Rest is crucial to recover from a concussion

- x Thestudentmust COMPLETELY rest for a minimum of 24 hours after injury
- x The aim of this complete rest is to reduce the signs and symptoms to a level where all

It is important to note that symptoms of a concussion can take two or more weeks to subside, depending on the severy of the knock to the head

If the student is involved in a sport, the relevant coach will be notified of **student**'s condition and a return to play date provided. The coach (rugby) will work with the player on their GRTP program and ensure they remain on track ensuring re isno exacerbating symptoms. The coach and the school nurse will keep in contact about the student to ensure the student does to be play too soon.

Rugby at Melbourne High School

At the beginning of each season, each player will undertake a baseline cognitive function dest. Th test is based on a gam like format and is a series of four test baseline test attention, reaction, working memory and learning. If a student then sustains a head *injurg*ussionduring the season, the student can be released and the baseline test compared to the plase ck test see if the head knock has caused any cognitive changes. From this, an individual treatment plan is then devised.

Melbourne High Schoolses OptimusHealth for thebaseline cognitive testingind uses trained game day medics. The medics are trained in concussion awareness. If a player sustains a head knock during a matchthe medic will remove the player from the field and monitor for signs and symptoms of a concussion. The player is No Tesume play. At the end of the game, the medic will perform a SCAS test As perMelbourne High School protocols, if a player sustainashead knock, the medic will contact the parents (if not at the game) and the parent to come and collect the student from the game. The medic is to advise parents they must take the player for medical review within 72 hours of the injury and the SchoNurse MUST review them they return to school so the GRTL and GRLP can be commenced.

The medic will document the head knock/concussion (and all injuries) from-gayneen First Aid Treatment Provided by a Game Day Medic document and forwarded tsctheeol NurseTheschool Nurse reviews this on Monday morning. If a player 'forgets' to turn up for his review (which is possible with a concussion), the nurse is able to locate the student and bring him to The Health Centre for the review.

Communication

re f* EMaTw 0.226 (n)2.3 (ay)-4